



Project: \_\_\_\_\_ Type: \_\_\_\_\_  
Item. No. \_\_\_\_\_  
Location: \_\_\_\_\_  
Notes: \_\_\_\_\_  
\_\_\_\_\_

# classic trimless

## recessed downlights

### standard features

#### electrical

- Input operating voltage: 120V, 60Hz
- Power cord: 18/2 SPT-2 (black)
- Four wiring configurations listed in ordering information below

#### lighting source

- Lamps: 35HR16, 4W R14 LED (40W EQUIV), 6WPAR20 LED (50W EQUIV)
- Canisters use reflector-type lamps

#### dimensions

- Height: 2 7/8", 4 1/2"
- Diameter: 3 1/4"

#### construction

- Steel

#### finish

- Painted: black (BK)
- Plated: antique brass (AB), brushed nickel (BN), polished brass (PB), polished chrome (PC)  
(Not all finishes available for select products; see ordering information below)

#### installation

- Adjustable mounting ring pre-installed 7/8" from canister opening
- Installation hole diameter 3 3/8"

#### warranty/certification

- 1 year warranty
- UL and cUL

#### options

- Other finishes
- Other lamp options
- Contact factory for custom options



GS35  
polished  
chrome



GS40  
black



TV  
polished brass



see following pages for ordering information

ordering information for GS35 and GS40 series

item number t-shape female	item number standard female	catalog number	height	wiring	finish	lamp
N/A	2020-1010	GS35-1-AB-R	2 7/8"	10' power cord with rollswitch	AB	35HR16
N/A	2020-1011	GS35-1-BK-R	2 7/8"	10' power cord with rollswitch	BK	35HR16
N/A	2020-1012	GS35-1-PB-R	2 7/8"	10' power cord with rollswitch	PB	35HR16
N/A	2020-1013	GS35-1-PC-R	2 7/8"	10' power cord with rollswitch	PC	35HR16
2000-0036	2020-1020	GS35-2-AB-R	2 7/8"	10' power cord with rollswitch, 30" female	AB	35HR16
2000-0037	2020-1021	GS35-2-BK-R	2 7/8"	10' power cord with rollswitch, 30" female	BK	35HR16
2000-0038	2020-1022	GS35-2-PB-R	2 7/8"	10' power cord with rollswitch, 30" female	PB	35HR16
2000-0039	2020-1023	GS35-2-PC-R	2 7/8"	10' power cord with rollswitch, 30" female	PC	35HR16
2000-0026	2020-1030	GS35-3-AB-R	2 7/8"	30" male & female	AB	35HR16
2000-0027	2020-1031	GS35-3-BK-R	2 7/8"	30" male & female	BK	35HR16
2000-0028	2020-1032	GS35-3-PB-R	2 7/8"	30" male & female	PB	35HR16
2000-0029	2020-1033	GS35-3-PC-R	2 7/8"	30" male & female	PC	35HR16
2000-0030	2020-1040	GS35-4-AB-R	2 7/8"	30" male	AB	35HR16
2000-0031	2020-1041	GS35-4-BK-R	2 7/8"	30" male	BK	35HR16
2000-0032	2020-1042	GS35-4-PB-R	2 7/8"	30" male	PB	35HR16
2000-0033	2020-1043	GS35-4-PC-R	2 7/8"	30" male	PC	35HR16
N/A	2020-2010	GS40-1-AB-R 4WR14 LED (40W Equiv)	2 7/8"	10' power cord with rollswitch	AB	4WR14 LED (40W EQUIV)
N/A	2020-2011	GS40-1-BK-R	2 7/8"	10' power cord with rollswitch	BK	4WR14 LED (40W EQUIV)
N/A	2020-2012	GS40-1-PB-R	2 7/8"	10' power cord with rollswitch	PB	4WR14 LED (40W EQUIV)
N/A	2020-2013	GS40-1-PC-R	2 7/8"	10' power cord with rollswitch	PC	4WR14 LED (40W EQUIV)
2000-0046	2020-2020	GS40-2-AB-R	2 7/8"	10' power cord with rollswitch, 30" female	AB	4WR14 LED (40W EQUIV)
2000-0047	2020-2021	GS40-2-BK-R	2 7/8"	10' power cord with rollswitch, 30" female	BK	4WR14 LED (40W EQUIV)
2000-0049	2020-2022	GS40-2-PB-R	2 7/8"	10' power cord with rollswitch, 30" female	PB	4WR14 LED (40W EQUIV)
2000-0050	2020-2023	GS40-2-PC-R	2 7/8"	10' power cord with rollswitch, 30" female	PC	4WR14 LED (40W EQUIV)
2000-0051	2020-2030	GS40-3-AB-R	2 7/8"	30" male & female	AB	4WR14 LED (40W EQUIV)
2000-0052	2020-2031	GS40-3-BK-R	2 7/8"	30" male & female	BK	4WR14 LED (40W EQUIV)
2000-0053	2020-2032	GS40-3-PB-R	2 7/8"	30" male & female	PB	4WR14 LED (40W EQUIV)
2000-0054	2020-2033	GS40-3-PC-R	2 7/8"	30" male & female	PC	4WR14 LED (40W EQUIV)
2000-0055	2020-2040	GS40-4-AB-R	2 7/8"	30" male	AB	4WR14 LED (40W EQUIV)
2000-0056	2020-2041	GS40-4-BK-R	2 7/8"	30" male	BK	4WR14 LED (40W EQUIV)
2000-0057	2020-2042	GS40-4-PB-R	2 7/8"	30" male	PB	4WR14 LED (40W EQUIV)
2000-0058	2020-2043	GS40-4-PC-R	2 7/8"	30" male	PC	4WR14 LED (40W EQUIV)

\*see next page for additional ordering information

ordering information for TV series

item number t-shape female	item number standard female	catalog number	height	wiring	finish	lamp
N/A	2020-4011	TV-1-BK-R	4 1/2"	10' power cord with rollswitch	BK	6WPAR20 LED (50W EQUIV)
N/A	2020-4012	TV-1-PB-R	4 1/2"	10' power cord with rollswitch	PB	6WPAR20 LED (50W EQUIV)
TBD	2020-4021	TV-2-BK-R	4 1/2"	10' power cord with rollswitch, 30" female	BK	6WPAR20 LED (50W EQUIV)
TBD	2020-4022	TV-2-PB-R	4 1/2"	10' power cord with rollswitch, 30" female	PB	6WPAR20 LED (50W EQUIV)
2000-0141	2020-3061	TV-3-BK-R	4 1/2"	30" male & female	BK	6WPAR20 LED (50W EQUIV)
2000-0142	2020-3062	TV-3-PB-R	4 1/2"	30" male & female	PB	6WPAR20 LED (50W EQUIV)
2000-0145	2020-3071	TV-4-BK-R	4 1/2"	30" male	BK	6WPAR20 LED (50W EQUIV)
2000-0146	2020-3072	TV-4-PB-R	4 1/2"	30" male	PB	6WPAR20 LED (50W EQUIV)

lamps and parts

item number t-shape female	description
350-1840	mounting ring
337-250	socket for medium base cans (GS, TV)
398-1300	4W R14 LED (40W EQUIV)
398-995	35HR16 halogen lamp
398-28	6WPAR20 LED (50W EQUIV)

See Controls, Lamps, and Accessories spec sheets for additional options.